

*Silvercote*TM

A SERVICE PARTNERS COMPANY




Insulation Facing Product Selection Guide

SPECIALTY FACINGS




GYM GUARD

Athletic facilities and high traffic areas
Highly abuse resistant




Standard widths
54, 66, 78 inches
1.37, 1.68, 1.98 meters




WMP-UV HD®

Intense lighting (natural/artificial):
Auto shops, retail and loading docks
Premium, heavy duty facing with added UV resistance




Standard widths
42, 54, 66, 78, 84 inches
1.07, 1.37, 1.68, 1.98, 2.13 meters



BLACK (WMP-VR, WMP-VR-R PLUS, WMP-10 and WMP-50)

Casinos, churches, malls, multi-use facilities,
restaurants, schools and theaters
Unique appearance




Standard widths
42, 54, 66, 78, 84 inches
1.07, 1.37, 1.68, 1.98, 2.13 meters



WMP-RETRO

Specifically designed for re-covering
damaged faced insulation
Easy to install/handle 500 SF rolls




Standard width
47 inches
1.19 meters

MOST POPULAR FACINGS - GENERAL PURPOSE

WMP®-VR

Low cost standard duty
Excellent for most chemical environments




WMP-10

Standard duty
Excellent general purpose




WMP-VR-R PLUS

Low cost standard duty
Excellent for high humidity environments



WMP-30

Heavy kraft for improved strength



Visit www.lamtec.com.

"LAMTEC and "WMP" are registered trademarks of LAMTEC Corporation.



LAMTEC[®]
CORPORATION

LAMTEC[®] products are proudly
manufactured in the USA. 

WMP-50

Premium heavy duty with added abuse
resistance




LOW (0.03) EMISSIVITY FACINGS



ARENASHIELD


Ice arena roofs
Highly abuse resistant



Standard widths
54, 66, 78 inches
1.37, 1.68, 1.98 meters

RADIANT ICE


Ice arena and general purpose
Double-sided foil with tear resistance and higher operating temperature



Standard widths
54, 66, 78 inches
1.37, 1.68, 1.98 meters

R-3035 HD

Agriculture, warehouses and manufacturing facilities
Heavy duty foil/scrim/kraft



Standard widths
42, 54, 66, 78, 84 inches
1.07, 1.37, 1.68, 1.98, 2.13 meters

APPLICATIONS

This document is intended as a general product guide only. You should consult with your building design professional before making your product selection.

WMP-VR	WMP-VR-R-PLUS	WMP-10	WMP-30	WMP-50	WMP-UV HD*	GYM GUARD	ARENASHIELD	RADIANT ICE	R-3035 HD	
●	●	●●	●●	●●●	●●●	○	○	●●	●	Agriculture
●	●	●●	●●	●●●	●●●	●●●	○	●●	○	Athletic facility
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Government/military
○	○	○	○	○	○	○	●●●	●●	●	Ice arena roofs
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Manufacturing/industrial
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Religious/community
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Service/retail
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Warehouse/distribution

- GOOD
- BETTER
- BEST
- NOT APPLICABLE

*Best for applications with high UV exposure from intense lighting (natural/artificial). Application examples include: aircraft hangars, retail, loading docks, auto shops, etc.



SIDE BY SIDE PRODUCT COMPARISONS

Name/Generic ID	Construction	C	D	E	F	G	NRC ¹	Code Compliance					
								UL-723	ASTM E84	CAN ULC-S102M	Factory Mutual		
A	B												
WMP-VR PSK-LD	White polypropylene film, fiberglass & polyester scrim, 11# natural kraft	0.09	≤0.004	40	30	60	.85	✓	✓	✓	✓		
WMP-VR-R PLUS PSP	White polypropylene film, fiberglass scrim, metallized polyester film	0.02	≤0.004	35	35	90	.80	✓	✓			✓	
WMP-10 PSK-STD	White polypropylene film, metallization, fiberglass & polyester scrim, 14# white kraft	0.02	≤0.004	40	35	65	.85	✓	✓	✓	✓		
WMP-50 PSKP	White polypropylene film, fiberglass & polyester scrim, 30# natural kraft, metallized polyester film	0.02	≤0.004	65	60	120	.65	✓	✓	✓	✓		
GYM GUARD Film/Fabric	White polypropylene film, metallization, fiberglass & polyester fabric	0.02	≤0.004	195	150	250	.70	✓	✓	✓	✓		
ARENASHIELD Foil/Fabric	Aluminum foil, fiberglass & polyester fabric	0.02	≤0.004	195	150	250	.65	✓	✓	✓	✓		
R-3035 HD FSK-HD	Aluminum foil, fiberglass & polyester scrim, 30# natural kraft	0.02	-	55	35	60	.80	✓	✓	✓	✓		
RADIANT ICE FSPF	Aluminum foil, polyester film, fiberglass scrim, aluminum foil	0.02	-	55	55	85	-		✓				
WMP-30 PSK-HD	White polypropylene film, metallization, fiberglass & polyester scrim, 30# natural kraft	0.02	≤0.004	55	40	70	.75	✓	✓	✓	✓		
WMP-UV HD PSKP-UV	White coating, white polypropylene film, fiberglass & polyester scrim, 30# natural kraft, metallized polyester film	0.02	≤0.004	65	60	120	-		✓				

1: As tested with 3" fiberglass blanket

SILVERCOTE, A SERVICE PARTNERS COMPANY,
ACTIVELY PARTICIPATES IN THE FOLLOWING
ORGANIZATIONS:



Proud Member of
NIA | National Insulation
Association™



Silvercote™
A SERVICE PARTNERS COMPANY

silvercote.com